ಶ್ರೀ ಎಂ. ಮಲ್ಲಿಕಾರ್ಜುನಸ್ವಾಮಿ.—ಖಂಡಿತವಾಗಿಯೂ ಮಾಡಿಸುತ್ತೇವೆ.

ಶ್ರೀ ಎಂ. ಎಚ್. ಜಯಪ್ರಕಾಶ್‌ನಾರಾಯಣ್.—ಸ್ವಾಮಿ, ಈ ಪ್ರಶ್ನೆಗೆ ಕೊಟ್ಟಿರತಕ್ಕ ಉತ್ತರದಲ್ಲಿ ಹಣಕಾಸು ಪರಿಸ್ಥಿತಿಯನ್ನು ಅವಲಂಬಿಸಿ ಇದನ್ನು ಪರಿಶೀಲಿಸಲಾಗುವುದು ಎಂದು ಹೇಳಿದ್ದೀರಿ. ಇನ್ನೊಂದು ಕಡೆ ಈ ರಸ್ತೆಯನ್ನು ಪಬ್ಲಿಕ್‌ವರ್ಕ್ಸ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರು ಮೇಂಟೇನ್ ಮಾಡುತ್ತಿದ್ದಾರೆ ಎಂದು ಹೇಳಿದ್ದೀರಿ, ಆಮೇಲೆ ಇದು ಕುದುರೆಮುಖದ ಐರನ್ ಪೋರ್ ಪ್ರಾಜೆಕ್ಟಿಗೆ ಹೋಗತಕ್ಕ ರಸ್ತೆಯಾಗಿದ್ದರೆ ಇದನ್ನು ಪರಿಶೀಲನೆ ಮಾಡುತ್ತೇವೆ ಎಂದು ಹೇಳಿದ್ದೀರಿ, ಆದ್ದರಿಂದ ಇದಕ್ಕೆ ಸಂಬಂಧಪಟ್ಟ ಮಾಹಿತಿ ತಮ್ಮ ಹತ್ತಿರ ಇಲ್ಲದಿದ್ದರೆ ಅದನ್ನು ತರಿಸಿಕೊಂಡು ಈ ರಸ್ತೆಯ ಕೆಲಸವನ್ನು ತಕ್ಷಣ ಮಾಡಿಸಿಕೊಡುತ್ತೀರಾ?

ಶ್ರೀ ಎಂ ಮಲ್ಲಿಕಾರ್ಜುನಸ್ವಾಮಿ.—ಈ ರಸ್ತೆಯನ್ನು ಪಬ್ಲಿಕ್‌ವರ್ಕ್ಸ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರು ಮೇಂಟೇನ್ ಮಾಡುತ್ತಿದ್ದಾರೆ ಎಂದು ವರದಿ ಬಂದಿದೆ. ಈ ರಸ್ತೆ ನಾದುರಸ್ತಿಗಿದೆ ಇದನ್ನು ದುರಸ್ತಿ ಮಾಡಿಸಿಕೊಡಬೇಕು ಎಂದು ಮಾನ್ಯ ಸದಸ್ಯರು ಪ್ರಶ್ನೆ ಕೇಳಿದ್ದಾರೆ. ಇದು ಪ್ರಾಜೆಕ್ಟ್ ರೋಡೂ ಹೌದೇ ಅಲ್ಲವೇ ಎಂಬುದನ್ನು ನೋಡಿ ಇದರಿಂದ ಪ್ರಾಜೆಕ್ಟಿಗೆ ಹೆಚ್ಚು ಸಹಾಯಕವಾಗುತ್ತದೆ ಎನ್ನುವುದಾದರೆ ಅದನ್ನು ಪರಿಶೀಲನೆ ಮಾಡುತ್ತೇವೆ ಎಂದು ಉತ್ತರ ಕೊಟ್ಟಿದ್ದೇನೆ. ಇದರಲ್ಲಿ ಯಾವ ವ್ಯತ್ಯಾಸವೂ ಇಲ್ಲ.

## Power supply to IP sets in Khanapur

37. SRI N. B SIRDESAI (Khanapur).—Will the Minister of State for Information and Power be pleased to state.—

(*a*) the number of I.P.Sets working and energised in Khanapur Taluk;

(*b*) the number of I.P. Sets installed by raising loans from the Banks;

(*c*) the number of applications received for power supply in KEB office at Khanapur during 1974–75 and 1976–77;

(*d*) whether the Government intend to supply electrical material such as Aluminium Conductors. Wires and Transformers urgently and make available the power supply to the I.P. Sets in Khanapur Taluk within one month's time?

SRI B. SUBBAYA SHETTY (Minister of State for Information and Power).—

(*a*) 301 nos.

(*b*) 24 nos.

(*c*) during 1974—75 ... ... 13 nos.
during 1976—77 ... ... 89 nos.

(*d*) The available materials like, Aluminium conductors. etc. are being distributed equitably throughout the State, giving preference to drought affected areas. As such it is not feasible to supply the entire quantity of electrical materials required for energisation of all the pending I P Sets in Khanapur Taluk within one month's time.

SRI N. B. FIRDESAI.—May I know whether the Government is aware of the fact that the P,W D is not granting permission for utilisation of river waters freely with the result that energisation of I.P. sets is help up?

†SRI B. SUBBAYA SHETTY.—No, I don't think that is the reason.

SRI N. B. SIRDESAI.—I will quote many instances. In my Taluka the Executive Engineer is not granting permission with the result that I.P, sets are not energiseed.

SRI B. SUBBAYA SHETTY.—I am not aware about the availability of water.

SRI N. B. SIRDESAI.—There is ample water in the Malaprabha but the P.W.D. is not granting permission.

SRI B. SUBBAYA SHETTY.—I do not know about that.

SRI B. B. SAYANAK.—The number of I.P. sets installed by borrowing loans is 24. Why should not the Government give top priority to energise these sets?

SRI B. SUBBAYA SHETTY.—I have not said they are not energised. The question is the number of sets installed by raising loans from the Banks. We have not said they are not energised. In Khanapur Taluk in 1976-77, 41 sets have been energised. 25 sets are pending at different stages for sanction and execution and the work relating to 7 sets are completed, but the parties have not come forward for availing power supply.

SRI N. B. SIRDESAI.—Is it not a fact that K.E.B. has not permitted to start a sub station at Khanapur and due to that the energisation of pumps is also held up?

SRI B SUBBAYA SHETTY.—I require notice to answer it.

## Use of Linganamakki River back water

112. SRI S. M. SREERNALY CHANDRASHEKAR (Hosanagar).—Will the Minister of State for Information and Power be pleased to state—

(*a*) whether the Government is aware that many people are using Linganamakki back water by erecting pump sets for raising crops;

(*b*) whether the Government has permitted these people to use this water;

(*c*) if not, the action Government propose to take against such people?